

# RDG30




# INNOTEX CLASSIC™

An updated version of the INNO55Q3 with a new combo of materials and trim.

DuPont™  
**Nomex.**  
NEVER QUIT.™

DuPont™  
**Kevlar.**

# COMPOSITE



**Outershell:**  
PBI MAX™ Gold



**Moisture Barrier:**  
CROSSTECH® Black  
moisture barrier – Type  
2F, 4.7 oz/yd<sup>2</sup>



**Thermal Barrier:**  
Glide Ice™ 2-layer

## STANDARD FEATURES



**Basic Configuration**  
32" style coat / Regular  
waist pants w/ High  
Back

New York style  
Scotchlite®  
3" Segmented (triple  
trim)

Snap-in liner  
attachment

Retractable Action  
Back™



**3" BR-1 Collar**  
Patented BR-1™ collar –  
3" – INNO5000™ Series  
– 4 layers

(US Patent 6 481 018)



**Zipper Closure on coat /  
Hook & Dee on pants**




**Flashlight Holder**  
Right Chest.



**8" x 4" x 2" Radio Pocket with mic loop**  
Left Chest.



**8" x 10" Semi Bellow Pockets**  
With Vizgrip™ flap.



**10" x 10" Full Bellow pockets**



**White Nomex wristlet with thumb hole**



**Enhanced Mobility Knees™ (EMK™)**  
Knees reinforced with gold Polymer Coated Aramid.

Includes extra padding in the knee (14 oz Nomex® felt).

EMK™ for improved range of motion.



**Waist Adjustment & Suspenders**

Two adjustment straps with "alligator" clips

H-style suspenders with neoprene padding



**Inspection Port**

On coat and pants.

# PARTNERS





**Classified by UL to NFPA 1971:2013**

**INNOTEX®**

2397 Harts Ferry Rd., Ohatchee, Alabama  
USA 36271

**INNOTEX®**

275 Gouin, Richmond, Quebec  
Canada JOB 2H0

**Customer Service**

1 888 821 3121 (U.S. and Canada only)  
Tel.: 819 826-5971  
Fax: 819 826-5195

Email: [info@innotexprotection.com](mailto:info@innotexprotection.com)  
[www.innotexprotection.com](http://www.innotexprotection.com)

® Registered Trademark of INNOTEX INC. or their respective holders.

™ Trademark of INNOTEX INC. or their respective holders.

Printed in Canada / REV. 04-16

Copyright 2016 INNOTEX INC.

All rights reserved. Because of our ongoing commitment to product quality and development we reserve the right to change, cancel, discontinue or alter any specification, design or feature without prior notice and without incurring obligation.

Disclaimer : The portrayed situations are fictional and no attempt should be made to reproduce them.