

SPECIFICATION SHEET

INNOTEX885™

&

INNOTEX880™



STRUCTURAL FIREFIGHTING GLOVE

OUTER SHELL

Lightweight yet tough Kangaroo shell delivers increased dexterity and cut resistance. Secure grip, wet or dry with minimal water absorption

MOISTURE BARRIER

CROSSTECH® glove inserts for long lasting protection against hot water, blood, body fluids and common chemicals by resisting damage due to flexing, abrasion and heat exposure

LINING

8.0 oz Nomex®/Kevlar® lining for superior heat and slash protection

FEATURES

- **TRU-3D™** glove style, **Exclusively at INNOTEX®** with **complete fourchettes** on all sides of every finger and thumb tip for improved fit and dexterity
- Improved thumb to palm connection for better ease of movement and durability
- Preformed fingers for better comfort and reduced fatigue
- Formed knuckle-guard with foam insert for better flexibility, grip and protection; less hand fatigue
- Foam insert in the palm for better shock protection and comfort while crawling
- Exclusive liner retention system helps prevent liner shifting and pull-out
- Thumb seam welt for increased abrasion resistance in this critical area
- Kevlar® thread with lock stitching on the shell for added strength and heat resistance
- Nomex® thread with lock stitching on lining

- ½" Heavy duty elastic sewn around the entire wrist helps prevent the glove from falling off the hand by keeping a snug fit around the wrist
- Compliant to NFPA 1971:2018

REGULAR STYLE



INNOTEX885™
Back



INNOTEX885™
Palm

WRISTLET STYLE

Also available as INNOTEX880™ using 2 layers of black Nomex® knit for additional protection



Sizes	64N – 70N – 70W – 76N – 76W – 82N – 82W
Packaging	12 pairs per case
Case	13" x 13" x 13" (33.0 cm x 33.0 cm x 33.0 cm)
Case weight*	7.0 lbs (3.2 Kg)

*Based on typical order

ASSEMBLED IN USA